Strange (KDE?) problem when undocking monitors

Submitted by Marko on Mon, 08/20/2012 - 18:30
Posted in

- Bug reports [1]

I've had this problem since I started using Kdenlive, but didn't really bother me until now, that I set up a dual monitor system.

If I undock CLip or Program monitor, the transport controls at the bottom don't get drawn. The video image will appear sooner or later if I scrub the playhead, but the transport controls never do.

It looks like this:

http://lea.hamradio.si/~s57uuu/video/kdenlive_problem1.jpg [2]

It could be that I have broken KDE libs, but no other application shows this problem, only Kdenlive.

The output on the terminal from which it is started, after start and immediate undockinq is like this:

```
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813> ./start-kdenlive
Way to run =
running kdenlive
Object::connect: No such signal NotesWidget::aboutToShowContextMenu(QMenu *) in
/home/mc/kdenlive/src/kdenlive/src/noteswidget.cpp:32
QWidget::insertAction: Attempt to insert null action
QWidget::insertAction: Attempt to insert null action
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
```

Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a

X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c0132a
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)

Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8

```
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
X Error: BadMatch (invalid parameter attributes) 8
Major opcode: 62 (X_CopyArea)
Resource id: 0x3c01617
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813>
mc@mcpc14:~/kdenlive/20120813>
```

Source URL: http://kdenlive.org/forum/strange-kde-problem-when-undocking-monitors

Links:
[1] http://kdenlive.org/forum/users-forums/bug-reports
[2] http://lea.hamradio.si/~s57uuu/video/kdenlive_problem1.jpg